
Santangelo


—Lighting & Design—


Sparta Semi Flush Mount Chandelier



Canopy Mounting Detail
Bottom View
(Not to scale)

BOTTOM VIEW





SKU: FM-SPRT

Approx Weight: 47 lbs Install Guide: FM008

Shade: White with Amber Onyx

& Travertine Mosaic

Dimension Tolerance: ± 7/8"



Copyright 2014. All rights in detail, design and invention reserved.

www.santangelolighting.com


Electrical Specifications:

4 Light; Edison Base;


60 Watt Max.

Light bulbs NOT included

Mounting Specification Notes:



Needs blocking reinforcement



WARRANTY

SELLER WARRANTS TO OWNER THAT THE PRODUCT WILL BE FREE FROM MATERIAL DEFECTSIN MATERIAL AND WORKMANSHIP FOR ONE (1) YEAR FROM THE DATE OF PURCHASE. THIS LIMITED PRODUCT WARRANTY DOES NOT APPLY TO IMPROPER INSTALLATION, MAINTENANCE OR IMPROPER HANDLING.

PRODUCT WARNING

FAILURE TO PROVIDE ADEQUATE STRUCTURAL SUPPORT FOR THE PRODUCTCAN RESULT IN SERIOUSPERSONALINJURY, DEATH, OR DAMAGE TO THE PRODUCT AND OTHER PROPERTY. IT IS THE OWNER'S RESPONSIBILITY TO CONSULT WITH ITS INSTALLER/CONTRACTOR TO ENSURETHAT: (1) THE STRUCTURE TO WHICH THE PRODUCTIS ATTACHED IS ABLE TO SUPPORT THE PRODUCT AS INSTALLED: AND (2) THAT THE PRODUCTIS INSTALLED CORRECTLY. OWNEREXPRESSLYACKNOWLEDGES AND AGREESTHAT IN NO WAY IS SELLER RESPONSIBLEFOR ANY INJURY, BODILY OR OTHERWISE, RESULTING FROM THE IMPROPERINSTALLATION OF THE PRODUCT.

IN NO EVENT SHALL SELLER BE LIABLE FOR ANY CONSEQUENTIAL, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR PUNITIVE DAMAGES ARISING OUT OF OR RELATING TO ANY BREATH OF PRODUCTWARRANTY, OR THE PRODUCT, REGARDLESS OF THE LEGAL OR EQUITABLE THEORY (CONTRACT, TORT OR OTHERWISE) UPON WHICH THE CLAIM IS BASED. IN NO EVENT SHALL SELLER'S AGGREGATE LIABILITY ARISING OUT OF OR RELATED TO THE WARRANTY OR THE PRODUCT, WHETHER ARISING OUT OF OR RELATED TO BREACH OF CONTRACT, TORT (INCLUDING NEGLIGENCE) OR OTHERWISE, EXCEED THE TOTAL AMOUNT PAID TO SELLER FOR THE PRODUCT.

SCAFFOLDINGOR MECHANICAL LIFT

SHOULD BE AVAILABLE TO ASSIST IN THE INSTALLATION OF A FIXTURE WHEN THE CEILING HEIGHT EXCEEDS 10 FEET, ADDITIONAL HELP AND EQUIPMENT MAY ALSO BE REQUIRED WHEN LIFTING THE FIXTURE INTO PLACE.